

Anleitungen

How do I set up ownCloud on my (v)server ?

Create a cloud on your own server and be independent from commercial storage services. The ownCloud is a free software

suite with which you can address and share data locally via an interface.

As a basis the project relies on a working web server (Apache) with PHP and a connected SQLite, MySQL or PostgreSQL

Anleitungen

database.

Anleitungen

For ownCloud to work properly on your machine the packages php5, php5-json php-xml php-mbstring php5-zip and php5-gd

have to be installed:

Anleitungen

under Debian:

```
apt-get install apache2 php5 php5-json php-xml php-mbstring php5-zip php5-gd
```

under Ubuntu

```
sudo apt-get install apache2 php5 php5-json php-xml php-mbstring php5-zip php5-gd
```

Anleitungen

Download the latest version of ownCloud from the website www.owncloud.org and create a folder called owncloud in /tmp.

Anleitungen

Upload the previously downloaded file owncloud-x.x.x.tar.bz2 there.

An FTP client like FileZilla serves you best..

Anleitungen

cd /tmp

Anleitungen

mkdir owncloud

Anleitungen

Unzip this file (owncloud-x.x.x.tar.bz2) using the following commands:

Anleitungen

```
tar -xjf /tmp/owncloud-x.x.x.tar.bz2
```

```
--strip 1 -C /tmp/owncloud
```

Anleitungen

```
cp -r owncloud /pfad/zu/ihrer/webserver/
```

(under Debian /var/www/)

Anleitungen

and copy the owncloud folder into the path of your web servers.

Now specify the permissions for the configuration and data of the ownCloud.

Anleitungen

The owner of the web server also has to have the user permissions for the folders data/ and config :.


Anleitungen

```
chown -R www-data:www-data /path/to/your/owncloud/install/data
```

Anleitungen

Now open your web browser and enter <http://yourwebsite/> (or: <http://yourwebsite/owncloud>) into the address bar.

Anleitungen



Admin-Konto anlegen

Erweitert ▾

Datenverzeichnis:

Datenbank einrichten

Anleitungen

Now you can set up your ownCloud with username, password and database connection (database user, database password,

database name).

Anleitungen


At the same time you can determine the data directory where all ownCloud files are installed:

under Debian: `/var/www/owncloud/install/data`

Anleitungen

under CentOS: `/var/www/html/owncloud/install/data`

Anleitungen



The image shows the ownCloud login interface. At the top, there is a dark blue header with the ownCloud logo, which consists of a cluster of white circles of varying sizes above the text "ownCloud" in a white, lowercase, sans-serif font. Below the header, the main area is light gray. It contains two white, rounded rectangular input fields. The first field is labeled "Nutzername" in a bold, dark gray font. The second field is labeled "Passwort" in a bold, dark gray font. At the bottom of the interface, there is a darker gray footer bar containing the text "ownCloud – web services under your control" in a white, sans-serif font.

Anleitungen

Anleitungen

After you have set up your ownCloud successfully log in with your usernam and password.

Unique solution ID: #1414

Author: EUserv Kundensupport

Last update: 2012-07-16 16:42